Product Service

CERTIFICATE

No. Z1A 021662 0298 Rev. 01

Holder of Certificate: **Kompan Design Studio & Manufacturing, Berlin GmbH**
Holzhauser Str. 139
13509 Berlin
GERMANY

Certification Mark:

Product: **Climbing equipment**

Tested according to:
DIN EN 1176-11:2014
EN 1176-11:2014
AfPS GS 2014:01 PAK
DIN EN 1176-1:2017
EN 1176-1:2017

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 713150160-08

Valid until: 2024-06-02

Date, 2019-06-18 (Jens Biesenack)

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT
TÜV SÜD
A4 / 07.17

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

CERTIFICATE

No. Z1A 021662 0298 Rev. 01

Factories: 021662

Model(s): **COR30281, COR30301, COR31331, COR31322 COR31401, COR31441, COR32331, COR32441 COR33481, COR34481, COR34581, COR35441 COR36331, COR36501, COR37441, COR39301 COR39331, COR39401, COR39501, COR30282 COR30302, COR30304, COR31442, COR31443 COR31444, COR32332, COR32442, COR33342 COR33482, COR34482**

Parameters: Spatial networks with octahedron rope cells with middle post executed as 1-2-3-4 master with mesh sizes between 28 – 58 cm. The equipment is made of Corocord rope with diameter from 19 – 22 mm as well as 7.5 mm thick membranes made of polyester fabric with rubber covering.

COR30281
L/W/H: 5.04/ 5.04/ 3.93 m
Max. height of fall: 1.20 m

COR30301
L/W/H: 6.00/ 6.00/ 3.93 m
Max. height of fall: 1.20 m

COR31331
L/W/H: 6.60/ 6.60/ 4.53 m
Max. height of fall: 1.35 m

COR31322
L/W/H: 23.04/ 14.54/ 7.51 m
Max. height of fall: 2.15 m

COR31401
L/W/H: 8.00/ 8.00/ 5.46 m
Max. height of fall: 1.70 m

COR31441
L/W/H: 8.90/ 8.90/ 5.89 m
Max. height of fall: 1.85 m

COR32331
L/W/H: 9.85/ 9.85/ 5.80 m
Max. height of fall: 1.65 m

COR32441
L/W/H: 11.00/ 11.00/ 7.51 m
Max. height of fall: 2.15 m

COR33481
L/W/H: 15.00/ 15.00/ 9.42 m
Max. height of fall: 2.60 m

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

A4 / 07.17

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT
TÜV SÜD

Product Service

CERTIFICATE

No. Z1A 021662 0298 Rev. 01

COR34481
L/W/H: 18.55/ 18.55/ 11.24 m
Max. height of fall: 3.00 m

COR34581
L/W/H: 22.41/ 22.41/ 13.00 m
Max. height of fall: 0.60 m

COR35441
L/W/H: 9.37/ 8.91/ 5.44 m
Max. height of fall: 1.80 m

COR36331
L/W/H: 7.80/ 7.80/ 3.85 m
Max. height of fall: 1.00 m

COR36501
L/W/H: 11.11/ 9.63/ 5.89 m
Max. height of fall: 1.65 m

COR37441
L/W/H: 10.00/ 8.66/ 5.80 m
Max. height of fall: 2.35 m

COR39301
L/W/H: 3.65/ 3.65/ 2.80 m
Max. height of fall: 1.00 m

COR39331
L/W/H: 6.40/ 6.40/ 4.45 m
Max. height of fall: 1.80 m

COR39401
L/W/H: 7.70/ 7.70/ 5.89 m
Max. height of fall: 1.95 m

COR39501
L/W/H: 9.65/ 9.65/ 6.84 m
Max. height of fall: 2.50

COR30282
L/W/H: 15.60/ 11.05/ 3.90 m
Max. height of fall: 1.20

COR30302
L/W/H: 13.30/ 8.40/ 3.93 m
Max. height of fall: 1.20 m

COR30304
L/W/H: 13.30/ 13.30/ 3.93 m
Max. height of fall: 1.20 m

COR31442
L/W/H: 19.80/ 12.60/ 5.89 m
Max. height of fall: 1.85 m

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

A4 / 07.17

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

CERTIFICATE

No. Z1A 021662 0298 Rev. 01

COR31443
L/W/H: 22.25/ 22.25/ 5.89 m
Max. height of fall: 1.85 m

COR31444
L/W/H: 19.80/ 19.80/ 5.89 m
Max. height of fall: 1.85 m

COR32332
L/W/H: 24.60/ 16.10/ 5.80 m
Max. height of fall: 2.15 m

COR32442
L/W/H: 26.07/ 16.03/ 7.51 m
Max. height of fall: 2.15 m

COR33342
L/W/H: 42.05/ 27.85/ 11.10 m
Max. height of fall: 2.40 m

COR33482
L/W/H: 35.90/ 22.90/ 9.30 m
Max. height of fall: 2.60 m

COR34482
L/W/H: 46.35/ 27.85/ 11.10 m
Max. height of fall: 3.00 m

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

A4 / 07.17