

TÜV SÜD  
ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICATE ◆ CERTIFIKAT ◆ CERTIFICATE



Product Service

# CERTIFICATE

No. Z2 021662 0315 Rev. 00

**Holder of Certificate:** **Kompan Design Studio & Manufacturing, Berlin GmbH**  
Holzhauser Str. 139  
13509 Berlin  
GERMANY

**Certification Mark:**



**Product:** **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 713150160-06

Valid until: 2024-03-27

Date, 2019-08-27

( Jens Biesenack )



Product Service

# CERTIFICATE

No. Z2 021662 0315 Rev. 00

**Model(s):** COROCORD™  
COR 2010, COR 2020, COR 2021, COR 2060,  
COR 2070, COR 2080, COR 2081, COR 2082,  
COR 2083, COR 2084

**Parameters:** Small climbing nets made of ropes  $d = 16$  mm connected with stainless steel S-clamps, supported on hot-galvanised steel posts.

Alternatively equipped with

- \* 7.5 mm thick polyester fabric membrane
- \* Stainless steel slide-climbing rod,  $d = 38$  mm
- \* EPDM discs  $d = 140 - 450$  mm
- \* Corocord rope rungs,  $d = 28$  mm
- \* HDPE climbing wall
- \* Wobble beam
- \* HDPE rungs

**COR 2010 SPIDA**

L/W/H: 3.45/ 2.60/ 2.90 m  
Max. falling height: 1.70 m

**COR 2020 Small arch**

L/W/H: 2.90/ 0.80/ 1.30 m  
Max. falling height: 1.30 m

**COR 2021 Large arch**

L/W/H: 4.30/ 0.80/ 2.00 m  
Max. falling height: 2.00 m

**COR 2060 Shell**

L/W/H: 6.10/ 4.20/ 2.50 m  
Max. falling height: 2.50 m

**COR 2070 Emerald**

Ø/H: 5.40/ 3.90 m  
Max. falling height: 2.00 m

**COR 2080 UFO trail**

L/W/H: 7.50/ 2.10/ 2.20 m  
Max. falling height: 2.00 m

**COR 2081 Hiking trail**

L/W/H: 5.30/ 0.95/ 2.20 m  
Max. falling height: 2.00 m

**COR 2082 Climbing trail**

L/W/H: 7.50/ 2.10/ 2.20 m  
Max. falling height: 2.00 m

**COR 2083 Small rope trail**

L/W/H: 9.90/ 4.20/ 2.20 m  
Max. falling height: 2.00 m

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD  
ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

# CERTIFICATE

No. Z2 021662 0315 Rev. 00

**COR 2084 Large rope trail**

L/W/H: 13.05/ 5.45/ 2.20

Max. falling height: 2.00 m

**Tested  
according to:**

DIN EN 1176-1:2017  
DIN EN 1176-11:2014  
EN 1176-1:2017  
EN 1176-11:2014

**Production  
Facility(ies):**

021662

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD  
ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFIKAT ◆ CERTIFICADO ◆ CERTIFICAT